



KONICA MINOLTA

Giving Shape to Ideas

**OUTSTANDING SPEED.  
SEAMLESS INTEGRATION.**



**bizhub**  
4752/4052  
4422/3622

A4 Monochrome MFPs

# bizhub A4 monochrome MFPs for any environment

From busy, compact locations to large scale offices, find the perfect fit for your space. Choose from a range of high-speed monochrome MFPs designed to keep up with your business.

✓  
**LARGE &  
MEDIUM  
SCALE OFFICES**

✓  
**SOHO OR  
SHOP SPACES**



**bizhub 4752**

The high functionality of a full-scale MFP, combined with speed and excellent network affinity. Printing up to 47 ppm and capable of operating seamlessly as part of a larger bizhub network, bizhub 4752 is an excellent choice for customers who require not only speed, but great features and functions as well.

|   |
|---|
| Black and White<br><b>47</b><br>ppm             |
| Colour Scan<br><b>60</b><br>ipm*                |
| B&W Scan<br><b>90</b><br>ipm                    |
| Electrostatic touch panel<br><b>7</b><br>inches |



\* double-sided scan



**bizhub 4052**

Complete with the same large 7-inch touch panel display and A4 paper size compatible colour scanner as bizhub 4752, bizhub 4052 offers 40 ppm high-speed and outstanding affinity with bizhub A3 MFPs.

|   |
|---|
| Black and White<br><b>40</b><br>ppm             |
| Colour Scan<br><b>60</b><br>ipm*                |
| B&W Scan<br><b>94</b><br>ipm                    |
| Electrostatic touch panel<br><b>7</b><br>inches |



\* double-sided scan

|   |
|---|
| Black and White<br><b>44</b><br>ppm               |
| Colour Scan<br><b>20</b><br>ipm                   |
| B&W Scan<br><b>42</b><br>ipm                      |
| Electrostatic touch panel<br><b>4.3</b><br>inches |



**bizhub 4422**

High-speed, with low operating costs, this all-rounder is perfect for small- to mid-size offices. Capable of 44 ppm, Super 3G faxing and colour scanning, bizhub 4422 is built for speed and efficiency.

|   |
|---|
| Black and White<br><b>36</b><br>ppm               |
| Colour Scan<br><b>20</b><br>ipm                   |
| B&W Scan<br><b>42</b><br>ipm                      |
| Electrostatic touch panel<br><b>2.4</b><br>inches |



**bizhub 3622**

Compact size and solid performance make the bizhub 3622 ideal as a main machine for small offices. 36 ppm performance combined with colour scanning and Super 3G faxing as standard make this machine an excellent all-rounder.

# Outstanding speed and seamless integration into existing MFP networks

## High speed printing

No one wants to wait around for their work to finish printing. Outputting 47 ppm and 40 ppm respectively when printing or copying on A4 size paper, bizhub 4752 and 4052 are designed to boost your efficiency. Pick up your first page in under 8.5 seconds.


## Compact design & no need for extra wires

Some spaces just aren't large enough for a full size MFP. With a footprint of only around 0.25 m<sup>2</sup>, these compact bizhub MFPs are small enough to keep on your desktop or in any convenient space while still offering a wide range of great features. They are also ideal as sub machines in a larger network of MFPs, and wireless capability makes it possible to install them wherever is convenient for you, without the need to install extra LAN wiring.




## Two sides on one page

Copy the front and back of small documents onto one sheet of A4 paper. Ideal for copying licenses, business cards or other small documents without wasting paper.



## Large capacity paper feed

Increase the standard 550-sheet paper capacity with optional paper feed units. A 100-sheet manual bypass tray or up to three additional 550- and/or 250-sheet paper feeding units can be installed to increase paper capacity while keeping the same compact footprint.



## Complete control via the 7-inch touch panel

Konica Minolta's smart user interface, INFO-Palette, shines on the large 7-inch electrostatic touch panel. Easy to understand and even easier to use, the smartphone-like operability makes controlling your bizhub simple.



## Get smart with mobile printing & scanning

### Konica Minolta Mobile Print

Print and scan directly to and from your smartphone or tablet when connected to your office Wi-Fi. Then upload straight to the cloud from your device. Fast and secure, Konica Minolta Mobile Print even allows you to use your smartphone to touch in on the NFC tag on your MFP.\*



KONICA MINOLTA  
Mobile Print



\*Only available for Android devices equipped with an NFC antenna. For iPhone and iPad, download Konica Minolta Mobile Print from the App Store. For Android devices, download Konica Minolta Mobile Print from Google Play. For Windows mobile, download Konica Minolta Mobile Print from Microsoft Store.

### AirPrint

Easily print from Mac OS and iOS devices without a printer driver.



### Konica Minolta Print Service

Standard Android Print functions can print directly to bizhub. Available for Android OS only.



### Mopria Print Service

Print from devices using an Android OS without a printer driver.



### Google Cloud Print

Print via the internet from iOS devices, Android devices and PCs without a printer driver.



### Scan in colour

Easily scan documents with single-side scanning at 30 ipm in colour, and 47 ipm in black and white. What's more, thanks to the high-speed DADF (duplexing automatic document feeder) equipped as standard, the speed doesn't change when you need to scan double sided documents. Process up to 60 ipm in colour and 94 ipm in black and white.



\*DADF bizhub 4052/4752 only

### User authentication


Optional authentication systems allow administrators to set restrictions on copying, printing, scanning and faxing, so you can create an authentication system that suits your office needs.

### Expand your potential with i-Option

i-Option expands the potential of your bizhub. Easily install extensions, such as barcode fonts, Unicode fonts, OCR fonts and ThinPrint functionality.

### Paperless sharing

Scan documents into a range of formats including three different types of PDF, TIFF, JPEG and pptx, and then share it in the way that suits you.



### Print from USB

Data stored on a USB memory device can be printed directly from the USB port on the front of the bizhub's control panel. Print from a range of document and image formats including DOCX, PPTX, PDF, JPEG, PNG and TIFF.

### Keep your documents secure

Security is crucial, no matter what size your business is. These bizhub models meet IEEE 2600.1 international protection profile standards. All security features have been independently evaluated and certified ISO 15408 EAL3 compliant, so you can print in confidence, knowing your documents are secure.

# Small but powerful all round performance for smaller work environments

## Cost-effective printing


Optimised for small offices, bizhub 4422 and 3622 deliver outstandingly low total cost of operation, giving you savings on both initial costs and running costs.

## **bizhub 4422**      **bizhub 3622**



## A small footprint to save space

With a footprint of just 0.21 m<sup>2</sup>, these MFPs are small enough to keep on your desktop. What's more, optional Wi-Fi connectivity for bizhub 4422 allows for set up at any convenient location inside your office space with no need to install additional LAN cables.



## Easy-to-read colour LCD display

The bizhub 4422 and 3622 feature colour LCD panels to display copy, print, scan and fax modes. The 4422's large 4.3 inch display lets you to see exactly what you are doing, allowing you to quickly review documents and select settings or print modes. The 3622 features a more compact, yet crystal clear 2.4 inch colour display, making browsing through setting easy.

## Increasing paper capacity is simple

Add up to three 550- and/or 250-sheet paper feeding units to increase paper capacity while keeping the same compact footprint.



**bizhub 4422**  
Max. paper capacity:  
2,000 sheets (75 g/m<sup>2</sup>)

**bizhub 3622**  
Max. paper capacity:  
900 sheets (75 g/m<sup>2</sup>)

Optional paper feeding unit  
PF-P16  
550 sheets (75 g/m<sup>2</sup>)

## Scan in colour

Scan one-sided documents at 20 ppm in colour, or 45 ppm in monochrome, and double-sided documents at 10.5 ipm in colour, or 20 ipm in monochrome with the bizhub 4422's high speed RADF (Recirculating Automatic Document Feeder), equipped as standard. Or if your needs are simpler, bizhub 3622 will scan one-sided documents at 20 ppm in colour or 45 ppm\* in monochrome, with no double-sided scanning.



\*DADF bizhub 4052/4752 only

## PageScope Mobile

Print and scan directly to and from your smartphone or tablet when connected to your office Wi-Fi, and upload straight to the cloud from your device. Fast and secure, PageScope Mobile allows you to keep moving without the need to waste time transferring documents between devices.




## Print from USB

Data stored on a USB memory device can be printed directly from the USB port on the front of the bizhub's control panel (bizhub 4422 only). Print from a range of document and image formats including DOCX, PPTX, PDF, JPEG, PNG and TIFF.




## Paperless sharing

Scan and share documents in a range of formats including three different types of PDF, TIFF, JPEG and XPS. Share via email, store on an FTP server or share with client PCs.



## Fax as standard

In addition to copying, printing and colour faxing, the bizhub 4422 and 3622 come with Super 3G fax as standard. All-round performance in a compact package.




## Save energy with Eco Mode

Run your office more economically and stay friendly towards the environment with Eco Mode, reducing power usage, while also helping you save on toner and paper.

## Two sides on one page

Consolidate multiple pages when copying and printing. Copy up to four pages onto a single page through your MFP and consolidate up to 16 pages onto one page when printing. Combine this function with double-sided printing to see a dramatic saving on paper.



# SPECIFICATIONS

## SYSTEM OVERVIEW

|  | <b>bizhub 4752/4052</b>  | <b>bizhub 4422/3622</b>   |
|--|--|---|
| <b>System memory</b>                     | 2 GB (standard), 2 GB (optional), 4 GB (maximum)   | 1 GB (standard)   |
| <b>System hard disk</b>                  | 250 GB (standard)  | 500 GB (optional) <sup>1)</sup>   |
| <b>Interface</b>                         | 10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 1.1, USB 2.0, Wi-Fi 802.11a/b/g/n/ac (optional) | 4422: 10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0, Wi-Fi 802.11a/b/g/n/ac (optional)<br>3622: 10-BASE-T/100-BASE-TX Ethernet, USB 2.0, Wi-Fi 802.11a/b/g/n/ac (optional) <sup>1)</sup> |
| <b>Network protocols</b>                 | TCP/IP (IPv4/IPv6), SLP, SMB, LPD, IPP, SNMP, HTTP   | TCP/IP (IPv4/IPv6), IPP, SNMP, HTTP   |
| <b>Document Feeder</b>                   | Up to 50 originals, A6-A4, Letter, Legal, Executive, custom sizes, 52-120 gsm                    | Up to 50 originals, A6-A4, Executive, Letter, Legal, custom sizes, 52-120 gsm   |
| <b>Printable paper size</b>              | 76.2 x 127 to 216 x 356 mm   | Max.: Legal/Letter or A4 (4422/3622), customised paper sizes  |
| <b>Printable paper weight</b>            | 60-216 gsm   | 60-216 gsm  |
| <b>Paper input capacity</b>              | Standard: 650 sheets, Max.: 2,300 sheets   | Standard: 350 sheets, Max.: 2,000/900 sheets (4422/3622)  |
| <b>Tray 1</b>                            | 550 sheets, A6-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm                            | 250 sheets, A6-A4, Executive, Letter, Legal, custom sizes, 60-120 gsm   |
| <b>Paper feed unit PF-P15 (optional)</b> | 250 sheets, A5-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm                            | 250 sheets, A5-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm   |
| <b>Paper feed unit PF-P16 (optional)</b> | 550 sheets, A5-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm                            | 550 sheets, A5-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm   |
| <b>Bypass tray</b>                       | 100 sheets, Postcards, A6-A4, Letter, Legal, Executive, custom sizes, 60-216 gsm                 | 100 sheets, Postcards, A6-A4, Executive, Letter, Legal, custom sizes, 60-216 gsm  |
| <b>Automatic duplexing</b>               | A4, Letter, Legal, 60-90 gsm   | A4, Letter, Legal, 60-90 gsm  |
| <b>Finishing modes (optional)</b>        | Group, sort, staple  |   |
| <b>Power consumption</b>                 | 4752: 660 W, 4052: 600 W   | 4422: 630 W 3622: 550 W   |
| <b>System dimensions</b>                 | [W x D x H] 490 x 521 x 546 mm (19.3 x 20.5 x 21.5 inch) <sup>2)</sup>                           | 4422: [W x D x H] 489 x 429.5 x 477 mm (19.3 x 16.9 x 18.8 inch) <sup>3)</sup><br>3622: [W x D x H] 399 x 429.5 x 467 mm (15.7 x 16.9 x 18.4 inch) <sup>3)</sup>                                |
| <b>System weight <sup>4)</sup></b>       | Approx. 24 kg (52.9 lb)  | 4422: Approx. 20.6 kg (45.5 lb) 3622: Approx. 19.4 kg (42.8 lb)   |

## COPIER SPECIFICATIONS

|                                   |   |   |
|-----------------------------------|---|---|
| <b>Copying process</b>            | Semiconductor laser and electrostatic image transfer to plain paper | Semiconductor laser and electrostatic image transfer to plain paper |
| <b>Copy/print speed A4/Letter</b> | 4752: Up to 47/50 ppm, 4052: Up to 40/42 ppm                        | 4422: Up to 44/46 ppm, 3622: Up to 36/38 ppm                        |
| <b>1st copy out time</b>          | 8.5 sec or less   | 6.5 sec or less   |
| <b>Warm-up time</b>               | 37 sec. or less   | 70-90 sec.  |
| <b>Copy resolution</b>            | 600 x 600 dpi   | 600 x 600 dpi   |
| <b>Gradation</b>                  | 256 gradations  | 256 gradations  |
| <b>Multicopy</b>                  | 1-9,999   | 1-999   |
| <b>Original format</b>            | Max.: A4 or Legal   | Max.: A4 or Legal   |
| <b>Magnification</b>              | 25-400% in 0.1% steps, auto-zooming                                 | 25-400% in 0.1% steps, auto-zooming                                 |

## PRINTER SPECIFICATIONS

|                                  |  |   |
|----------------------------------|--|---|
| <b>Print resolution</b>          | 600 x 600 dpi, 1,200 x 1,200 dpi   | 300 x 300 dpi, 600 x 600 dpi, 1,200 x 1,200 dpi   |
| <b>Page Description Language</b> | PostScript 3 (3016) Emulation, PCL 6 (XL Version 3.0) Emulation, PCL 5e/c Emulation XPS Ver.1.0, PDF1.7  | PostScript 3 (3016) Emulation, PCL 6 (XL Version 3.0) Emulation, PCL 5e/c Emulation XPS Ver.1.0   |
| <b>Operating systems</b>         | Windows 7 (32/64), Windows 8.1 (32/64), Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Macintosh OS X 10.8 or later, Linux | Windows 7 (32/64), Windows 8.1 (32/64), Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Macintosh OS X 10.6 or later, Linux, Network |
| <b>Printer fonts</b>             | 80 PCL, 137 PostScript 3 Emulation   | 89 PCL, 158 PostScript 3 Emulation, 39 PPDS Emulation   |
| <b>Mobile printing</b>           | AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile)                        | AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile)                                 |

## SCANNER SPECIFICATIONS

|   |   |   |
|---|---|---|
| <b>Scan speed<sup>5)</sup> with DF (1-sided original)</b> | B/W: 47 ipm (A4), 50 ipm (Letter)<br>Colour: 30 ipm (A4), 32 ipm (Letter)   | B/W: 42/45 ipm (A4/Letter) *RADF bizhub 4422 only<br>Colour: 20/22 ipm (A4/Letter) *RADF bizhub 4422 only |
| <b>Scan speed<sup>5)</sup> with DF (2-sided original)</b> | B/W: 94 ipm (A4), 100 ipm (Letter)<br>Colour: 60 ipm (A4), 64 ipm (Letter)  | B/W: 20 ipm (A4/Letter)<br>Colour: 10.5 ipm (A4/Letter)   |
| <b>Resolution</b>   | Max.: 600 x 600 dpi   | Max.: 600 x 600 dpi   |
| <b>Scan modes</b>   | Scan to Email, Scan to PC (SMB), Scan to FTP, Scan to WebDAV, Scan to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to Home, Scan to URL | Scan to Email, Scan to FTP, Scan to USB memory, Network TWAIN scan  |
| <b>File formats</b>                                       | JPEG, TIFF, PDF, PDF/A-1a <sup>6)</sup> , PDF/A 1-b <sup>6)</sup> , compact PDF, encrypted PDF, XPS, compact XPS, OOXML (pptx), Linearised PDF <sup>6)</sup>  | JPEG, TIFF, PDF, XPS  |
| <b>Destinations</b>                                       | 2,100 (single + group), LDAP, PSDA support  | 500   |

# SPECIFICATIONS

## FAX SPECIFICATIONS<sup>17</sup>

|                           | <b>bizhub 4752/4052</b>                                       | <b>bizhub 4422/3622</b>          |
|---------------------------|---|----------------------------------|
| <b>Fax</b>                | Super G3  | Super G3                         |
| <b>Transmission</b>       | Analog fax, Internet fax, Colour Internet fax, IP address fax | Analog fax                       |
| <b>Resolution</b>         | Max.: 600 x 600 dpi (ultra-fine)                              | Max.: 600 x 600 dpi (ultra-fine) |
| <b>Compression method</b> | MH, MR, MMR, JBIG   | MH, MR, MMR, JBIG                |
| <b>Modem speed</b>        | Up to 33.6 Kbps   | Up to 33.6 Kbps                  |
| <b>Destinations</b>       | 2,100 (single + group)  | 500                              |


## COMPONENTS AND OPTIONS

|   |   |  |
|---|---|--|
| <b>DK-P02 Copier desk</b>                         | Provides storage space for print media and other materials<br>Authentication device placement | Provides storage space for print media and other materials |
| <b>FS-P02 Inline finisher</b>                     | 20-sheet stapling   |  |
| <b>SK-501 Staple kit</b>                          | For FS-P02, Replacement staples   |  |
| <b>KP-101 10-Key pad</b>                          | 10-key  |  |
| <b>FK-517 Fax board</b>                           | Super G3 fax, fax functionality for 1st line  |  |
| <b>UK-219 Upgrade kit</b>                         | 2 GB memory extension for upgrades  |  |
| <b>LK-102 v3 PDF enhancements</b>                 | PDF/A, PDF encryption, digital signature  |  |
| <b>LK-104 v3 Voice guidance</b>                   | Provides voice guidance functions   |  |
| <b>LK-106 Barcode fonts</b>                       | Supports native barcode printing  |  |
| <b>LK-107 Unicode fonts</b>                       | Supports native Unicode printing  |  |
| <b>LK-108 OCR A and B fonts</b>                   | Supports native OCR A and B font printing   |  |
| <b>LK-111 ThinPrint® Client</b>                   | Print data compression for reduced network impact   |  |
| <b>LK-115 v2 TPM activation</b>                   | Trusted Platform Module for protection of data encryption and decryption                      |  |
| <b>EK-P05 USB I/F kit</b>                         | USB interface kit   |  |
| <b>EK-P06 USB I/F kit</b>                         | USB interface kit, Bluetooth LE   |  |
| <b>AU-201S IC card authentication</b>             | Various IC card technologies  |  |
| <b>UK-216 Wireless LAN</b>                        | Wireless LAN and wireless LAN Access Point Mode   |  |
| <b>UK-P12 256 MB user flash</b>                   |   | 256 MB memory extension for upgrades                       |
| <b>UK-P13 Barcode card</b>                        |   | Supports native barcode printing                           |
| <b>NC-P05 Network interface card<sup>18</sup></b> |   | Wireless LAN and wireless LAN Access Point Mode            |
| <b>HD-P07 Hard disk<sup>19</sup></b>              |   | Enable functions such as Scan Preview                      |

<sup>1</sup> bizhub 4422 only <sup>2</sup> Main unit and ADF <sup>3</sup> Including ADF and lower paper tray unit <sup>4</sup> Including consumables <sup>5</sup> When copying at 150 dpi <sup>6</sup> Optional <sup>7</sup> Fax optional on bizhub 4752/4052 <sup>8</sup> bizhub 4422 only <sup>9</sup> bizhub 4422 only  
All specifications refer to A4-size paper of 75 gsm quality. The support and availability of the listed specifications and functionalities vary depending on operating systems, applications and network protocols as well as network and system configurations. Some of the product illustrations contain optional accessories. Specifications and accessories are based on the information available at the time of printing and are subject to change without notice. Konica Minolta does not warrant that any specifications mentioned will be error-free. All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

# bizhub 4752/4052

# bizhub 4422/3622



\*1 Fax: Option for bizhub 4752/4052  
\*2 IC-Card Authentication:  
Option for bizhub 4752/4052.  
Not available for bizhub 4422/3622

## Product appearance, configuration and/or specifications are subject to change without notice.

KONICA MINOLTA, the KONICA MINOLTA logo, symbol mark, Giving Shape to Ideas, bizhub, Konica Minolta Optimised Print Services and their respective logos are registered trademarks or trademarks of KONICA MINOLTA, INC. Evernote is a registered trademark or trademark of Evernote Corporation. Android and Google Drive are registered trademarks or trademarks of Google Inc. in the U.S. and other countries. Windows is registered trademarks or trademarks of Microsoft Corporation in the U.S. and other countries. All other brands and product names are registered trademarks or trademarks of their respective companies or organisations.



KONICA MINOLTA



## Requirements for safe use

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.

